Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
584	224	((network) adj (parameter\$1 or data or information)) with throughput	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 09:15
S85	243693	((receiv\$3 or transmit\$4 or send\$3) near (parameter\$1 or data or information)) with (device or computer or unit or terminal or PDA or mobile or cellular or phone or radiotelephone)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:50
S86	94	S84 and S85	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:04
S87	1	"20020178118"	US-PGPUB; USPAT; USOCR; EPO	ÓR	ON	2005/10/28 10:46
S88	201	((measur\$3 or estimat\$3 or calculat\$3) with (network adj performance)) same (parameter\$1 or throughput or RSSI or QOS)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:52
S89	71	S85 AND S88	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:50
S90	66	S89 not S86	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:50
S91	304	(measur\$3 or estimat\$3 or calculat\$3) with (data adj throughput)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:53
S92	16	S88 and S91	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/28 10:53
S93	963	(estimat\$3 or calculat\$3 or measur\$3) adj (throughput)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 11:27
S94	1706	(estimat\$3 or calculat\$3 or measur\$3) near (throughput)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 15:40

S95	7	((estimat\$3 or calculat\$3 or measur\$3) near (throughput)) with ((RSSI) or (signa near strength\$1) or (indicator) or (quality adj indicator\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 11:36
S96	12	((estimat\$3 or calculat\$3 or measur\$3) near (throughput)) with (((mobile or wireless or comput\$3) adj (device\$1 or terminal\$1 or unit\$1)) or phone or radiotelephone or PDA or telephone)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 11:49
S97	30	((estimat\$3 or calculat\$3 or measur\$3) near (throughput)) same (((mobile or wireless or comput\$3) adj (device\$1 or terminal\$1 or unit\$1)) or phone or radiotelephone or PDA or telephone)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 11:50
S98	18	S97 not S96	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 11:50
S99	110	S94 and ((RSSI) or (SIR) or (signal near strength\$1) or (dropped adj call\$1) or (signal adj interference adj ratio))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 15:14
S10 0	1	"6901051".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	ON -	2005/11/14 15:14
S10 1	1	S100 and (database or storage or stor\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 15:14
S10 2	10	((estimat\$3 or calculat\$3 or measur\$3 or measurement\$1) near (throughput)) with ((RSSI) or (RSS) or (signal near strength\$1) or (SIR) or (signal adj interference adj ratio) or (Q/I) or (quality adj indicator\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 15:49
S10 3	18	((estimat\$3 or calculat\$3 or measur\$3 or measurement\$1) near (throughput)) same ((RSSI) or (RSS) or (signal near strength\$1) or (SIR) or (signal adj interference adj ratio) or (Q/I) or (quality adj indicator\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	ON .	2005/11/14 15:58
S10 4	6	((estimat\$3 or calculat\$3 or measur\$3 or measurement\$1) near (throughput)) with modem	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 16:02

S10	1	((estimat\$3 or calculat\$3 or	US-PGPUB;	OR	ON	2005/11/14 16:07
5		measur\$3 or measurement\$1) near (throughput)) with ((receiv\$3 or acquir\$3) near (parameter\$1 or variable\$1 or indicator\$1 or value\$1)) with (device\$1 or terminal\$1 or unit\$1 or computer\$1 or phone\$1 or radiotelphone or mobile\$1)	USPAT; USOCR; EPO			
S10 6	0	((estimat\$3 or calculat\$3 or measur\$3 or measurement\$1) near (throughput)) same ((receiv\$3 or acquir\$3) near (parameter\$1 or variable\$1 or indicator\$1 or value\$1)) near (device\$1 or terminal\$1 or unit\$1 or computer\$1 or phone\$1 or radiotelphone or mobile\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 16:08
S10 7	1	((estimat\$3 or calculat\$3 or measur\$3 or measurement\$1) near (throughput)) same ((receiv\$3 or acquir\$3) near (parameter\$1 or variable\$1 or indicator\$1 or value\$1)) with (device\$1 or terminal\$1 or unit\$1 or computer\$1 or phone\$1 or radiotelphone or mobile\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 16:09
S10 8	1	((estimat\$3 or calculat\$3 or measur\$3 or measurement\$1) near (throughput)) same ((receiv\$3 or acquir\$3) near ((RSSI) or (RSS) or (signal near strength\$1) or (SIR) or (signal adj interference adj ratio) or (Q/I) or (quality adj indicator\$1) or parameter\$1 or variable\$1 or indicator\$1 or value\$1)) with (device\$1 or terminal\$1 or unit\$1 or computer\$1 or phone\$1 or radiotelphone or mobile\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 16:10
S10 9	50	((estimat\$3 or calculat\$3 or measur\$3 or measurement\$1) near (throughput)) and ((receiv\$3 or acquir\$3) near ((RSSI) or (RSS) or (signal near strength\$1) or (SIR) or (signal adj interference adj ratio) or (Q/I) or (quality adj indicator\$1) or parameter\$1 or variable\$1 or indicator\$1 or value\$1)) with (device\$1 or terminal\$1 or unit\$1 or computer\$1 or phone\$1 or radiotelphone or mobile\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/11/14 16:13